

Example setup of ibell windows, ip variobell (works the same way as ip bell), sip linphone service

www.linphone.org/freesip/myaccount

Booking.com Seznam Heureka AliExpress

linphone
open source VOIP project

Products Solutions Licensing & services Technical corner About us News **NEWSLETTER**

WELCOME IBELL2 WIN2 : UPDATE YOUR ACCOUNT

Firstname

Name

Do you want to keep in touch with linphone updates ?

Keep me informed
 No thanks

UPDATE!

YOUR SIP INFORMATION


Sip identity : ibellwin12345@sip.linphone.org
Username : ibellwin12345
Email : cernousek@gmail.com
Domain / Proxy : sip.linphone.org

192.168.1.251/button_control?btn= X

192.168.1.251/button_control?btn=2 70% ...

iBell office
File Settings Help

ALPHATECH TECHNOLOGIES



ALPHATECH TECHNOLOGIES / IP BOLD65 - 245 / IP BOLD 253 / IP Belv2 252 /

Settings

SIP Server Connection
SIP Server User Name: SIP Server User Password:
Authentication ID:
SIP Server IP Address:
SIP Server Network Port:
Registration Server IP Address:
Registration Server Port:
SIP Proxy Server IP Address:
SIP Proxy Server Network Port:
Outbound Proxy Server:
NAT and Firewall settings
 Local Network
 Public IP Address:
 STUN Server IP Address:

User Settings
 Run this program automatically when Windows starts
 The program automatically minimize after its launch
Ringing tone:
Language selection:

Entrance Communicators Settings
Communicator Name:
Communicator IP Address:
Communicator Video Port:
Communicator Phone Number:
Incoming Substitute Phone Number:
Communicator Admin Password:

DTMF code to switch:
1: Close Call
2: Close Call
3: Close Call
4: Close Call

Auxiliary Camera IP Address or Domain:
User Name: Password:

ALPHATECH TECHNOLOGIES / IP BOLD65 - 245 / IP BOLD 253 /

Add Communicator Remove Communicator

Default settings Documentation Save and Restart Back

192.168.1.251/button_control?btn= SIP account

192.168.1.251/sip_account?num=2

ALPHATECH TECHNOLOGIES s.r.o. ALPHD Tech

IP VarioBell

Number: < 1 2 3 4 5 6 7 8 9 10 > Goto: []

SIP account

Enabled:

Account: [ibelwin12345]
Auth. Id: [ibelwin12345]
Password: [*****]

Send register:
Registration server: [sp.inphone.org]
Port: [5060]
Expiration [sec]: [600]
Register after restart:

SIP server: [sp.inphone.org]
Port: [5060]

Outbound proxy: []
Port: [5060]

SIP Transport: [TCP & UDP]

Registration successful

Default values Save

© ALPHATECH TECHNOLOGIES s.r.o.

192.168.1.251/button_control?btn= Phonebook

192.168.1.251/phonebook?num=2

ALPHATECH TECHNOLOGIES s.r.o. ALPHD Tech

IP VarioBell

Number: 1

Phonebook

Title: []
Email: []
Enabled:

1. call number: [ibelwin1234/2]
Timetable: [None]
Calling: [Sequential]

2. call number: []
Timetable: [None]
Calling: [Sequential]

3. call number: []
Timetable: [None]
Calling: [Sequential]

4. call number: []
Timetable: [None]
Calling: [Sequential]

5. call number: []
Timetable: [None]
Calling: [Sequential]


External code for relay 1: []
External code for relay 2: []
External code for relay 3: []
External code for relay 4: []

Default values Save

© ALPHATECH TECHNOLOGIES s.r.o.

iBell office
File Settings Help

ALPHATECH TECHNOLOGIES




ALPHATECH TECHNOLOGIES / IP BOLD65 - 245 / IP BOLD 253 / IP Belv2 252 /

Control panel with icons: Phone, Lock 1, Lock 2, and a minus sign.

iBell office
File Settings Help

ALPHATECH TECHNOLOGIES



ALPHATECH TECHNOLOGIES / IP BOLD65 - 245 / IP BOLD 253 / IP Belv2 252 /

Control panel with icons: Phone, Lock 1, Lock 2, and a minus sign.